


SÉRIE . SÉRIE
PFS

Lâminas de sombreamento . Lames brise-soleil

Características técnicas Caractéristiques techniques

Lâminas de sombreamento
Lames brise-soleil



Pormenor de Corte Détail de Coupe

Características

Linhas: Fixa, Orientável

Envergadura: 120mm, 200mm, 360mm

Cortes: 90°

Unões: Parafusos

Cores: Anodizado, Lacado, Efeito madeira

Espessura geral: 1,4mm e 1,8mm

Caractéristiques

Lignes: Fixe, Orientable

Envergure: 120mm, 200mm, 360mm


Coupes: 90°

Assemblage: Vis


Couleurs: Anodisé, Laqué, Effet décor bois

Épaisseur générale: 1,4mm et 1,8mm


Opções Options



120 mm





200 mm



360 mm


Lâminas quebra-sol Lames brise-soleil




PF10.01

	(kg/m)	2.402
	(mm)	0.606
	(mm)	0.945
	(m²/m)	0.374

Lâminas quebra-sol Lames brise-soleil




	(kg/m)	2.475
	(mm)	0.417
	(mm)	0.991
	(m ² /m)	0.417



PF10.04

	(kg/m)	1.041
	(mm)	0.247
	(mm)	0.542
	(m ² /m)	0.247

Tubos rectangulares Tubes rectangulaires



PD12.31

	(kg/m)		1.110
	(mm)		0.280
	(mm)		0.548
	(m²/m)		0.280



Peso - Poids



Perímetro exterior - Périmètre extérieur



Perímetro total - Périmètre total



Superfícies visíveis - Surfaces visibles